

MATITA

SQUARE

h160-300mm



solid
white



Ibiza
sand



meteor
grey



timeless
aluminium

Bollard for ground or solid surface installation. Head section and conical reflectors made of EN47100 die-cast aluminium and two sizes pole of extruded aluminium H.160mm, H.300mm. Powder polyester coated on treated layer to prevent corrosion, available in four standard colours, reflectors only white or black painted. inox fixing plate included.

PMMA satin diffuser mechanically fixed with silicon glue.

Integrated Power Supply 220-240V .

light source (6,2W led) MID Power Led , CRI \geq 80, 3000K/4000K power (8,5W e)

360° downward emission

IP connector kit included






CLASS I

IP65






For ground installation We suggest the use of Anchor bolts (9041)








White reflector	3000K	h160mm	6,2W _{led}	8,5W _e	368lm	220-240V
	901311002	901311003	901311004	901311005		
						
	901321002	901321003	901321004	901321005		
	4000K	h160mm	6,2W _{led}	8,5W _e	386lm	220-240V



Black reflector	3000K	h160mm	6,2W _{led}	8,5W _e	223lm	220-240V
	901311012	901311013	901311014	901311015		
						
	901321012	901321013	901321014	901321015		
	4000K	h160mm	6,2W _{led}	8,5W _e	234lm	220-240V











White reflector	3000K	h300mm	6,2W _{led}	8,5W _e	368lm	220-240V
	901311022	901311023	901311024	901311025		
	901321022	901321023	901321024	901321025		
	4000K	h300mm	6,2W _{led}	8,5W _e	386lm	220-240V



Black reflector	3000K	h300mm	6,2W _{led}	8,5W _e	223lm	220-240V
	901311032	901311033	901311034	901311035		
	901321032	901321033	901321034	901321035		
	4000K	h300mm	6,2W _{led}	8,5W _e	234lm	220-240V





ANCHOR BOLTS

9041

