

# MATITA

## ROUND

h160-500-800mm



solid  
white



Ibiza  
sand



meteor  
grey



timeless  
aluminium

Bollard for ground or solid surface installation. Head section and conical reflectors made of EN47100 die-cast aluminium and 3 sizes pole of extruded aluminium H.160mm, H.500mm, H.800mm.

Fiberglass reinforced plastic fixing base included.

Transparent tempered glass mechanically fixed with silicon glue.

Supply mains 220-240V phase cut dimmable

light source Mid Power Led  
10W e @230V , CRI ≥80,  
3000K/4000K

h.160mm supplied with IP68 connector.

360° downward emission

CLASS I

IP65

Accessories IP connector (9036) to grant protection, 180° shield (9044) to be separately ordered.

For ground installation We suggest the use of Anchor bolts(9009)








| White reflector | 3000K     | h160mm    | 10W@230V  | 565lm     | 220-240V |
|-----------------|-----------|-----------|-----------|-----------|----------|
|                 | 900311012 | 900311013 | 900311014 | 900311015 |          |
|                 |           |           |           |           |          |
|                 | 900321012 | 900321013 | 900321014 | 900321015 |          |
|                 | 4000K     | h160mm    | 10W@230V  | 594lm     | 220-240V |



| Black reflector | 3000K     | h160mm    | 10W@230V  | 438lm     | 220-240V |
|-----------------|-----------|-----------|-----------|-----------|----------|
|                 | 900311062 | 900311063 | 900311064 | 900311065 |          |
|                 |           |           |           |           |          |
|                 | 900321062 | 900321063 | 900321064 | 900321065 |          |
|                 | 4000K     | h160mm    | 10W@230V  | 460lm     | 220-240V |












| White reflector | 3000K     | h500mm    | 10W@230V  | 565lm 220-240V |
|-----------------|-----------|-----------|-----------|----------------|
|                 | 900311032 | 900311033 | 900311034 | 900311035      |
|                 |           |           |           |                |
|                 | 900321032 | 900321033 | 900321034 | 900321035      |
|                 | 4000K     | h500mm    | 10W@230V  | 594lm 220-240V |








| Black reflector | 3000K     | h500mm    | 10W@230V  | 438lm 220-240V |
|-----------------|-----------|-----------|-----------|----------------|
|                 | 900311072 | 900311073 | 900311074 | 900311075      |
|                 |           |           |           |                |
|                 | 900321072 | 900321073 | 900321074 | 900321075      |
|                 | 4000K     | h500mm    | 10W@230V  | 460lm 220-240V |







| White reflector  | 3000K   | h800mm  | 10W@230V  | 565lm 220-240V |
|--|---|---|---|----------------|
|  | 900311052   | 900311053   | 900311054   | 900311055      |
|   |  |  |  |                |
|  | 900321052   | 900321053   | 900321054   | 900321055      |
| 4000K  | h800mm  | 10W@230V  | 594lm 220-240V  |                |



| Black reflector   | 3000K   | h800mm  | 10W@230V  | 438lm 220-240V |
|---|---|---|---|----------------|
|  | 900311082   | 900311083   | 900311084   | 900311085      |
|  |  |  |  |                |
|   | 900321082   | 900321083   | 900321084   | 900321085      |
| 4000K   | h800mm  | 10W@230V  | 460lm 220-240V  |                |





## ACCESSORIES

### ANCHOR BOLTS

---

9009



### SHIELD

---

9044



### 2-3 WAY TERMINAL BLOCK IP68

---

9036

