

DIVAR WALL

19°-32°-65°-diffused

mono and bidirectional



solid
white



Ibiza
sand



meteor
grey



timeless
aluminium



Wall mounting luminaire.
EN47100 die-cast aluminium
base and extruded structure,
single or double emission.
Powder polyester coated on
treated layer to prevent
corrosion, available in four
standard colours. IP
connectors and inox fixing
clamp included.

Characterized by retrofit optics,
low luminance shield and
tempered transparent
silkscreened glass for Power
Led model, and sandblasted
for Mid Power Led,
mechanically fixed with silicon
glue.

Integrated Power Supply 220-
240V 50/60Hz

Light source (12,1W led) Power
Led / (5,7W led) Mid Power Led
CRI≥80 3000K/4000K

Power (29,7W e - 15,4W e - 7,2W
e - 14W e)

BEAMS 19°- 32°- 65°-
DIFFUSED

CLASS I

IP65







3000K 19° 12,1W_{led} x2 29,7W_e 1153lmx2 220-240V

901011002 901011003 901011004 901011005



901021002 901021003 901021004 901021005

4000K 19° 12,1W_{led} x2 29,7W_e 1211lmx2 220-240V




3000K 19° 12,1W_{led} 15,4W_e 1153lm 220-240V

901011012 901011013 901011014 901011015



901021012 901021013 901021014 901021015

4000K 19° 12,1W_{led} 15,4W_e 1211lm 220-240V









3000K 32° 12,1W_{led} x2 29,7W_e 1177lmx2 220-240V

901011102 901011103 901011104 901011105



901021102 901021103 901021104 901021105

4000K 32° 12,1W_{led} x2 29,7W_e 1236lmx2 220-240V



3000K 32° 12,1W_{led} 15,4W_e 1177lm 220-240V

901011122 901011123 901011124 901011125











901021122 901021123 901021124 901021125





4000K 32° 12,1W_{led} 15,4W_e 1236lm 220-240V





3000K	65°	12,1W _{led} x2	29,7W _e	1137lm x2	220-240V
901011112	901011113	901011114	901011115		
					
901021112	901021113	901021114	901021115		
4000K	65°	12,1W _{led} x2	29,7W _e	1194lm x2	220-240V



3000K	65°	12,1W _{led}	15,4W _e	1137lm	220-240V
901011132	901011133	901011134	901011135		
					
901021132	901021133	901021134	901021135		
4000K	65°	12,1W _{led}	15,4W _e	1194lm	220-240V









3000K diffused 5,7W_{led} x2 14W_e 527lm x2 220-240V

901011032 901011033 901011034 901011035



901021032 901021033 901021034 901021035

4000K diffused 5,7W_{led} x2 14W_e 553lm x2 220-240V



3000K diffused 5,7W_{led} 7,2W_e 527lm 220-240V

901011022 901011023 901011024 901011025



901021022 901021023 901021024 901021025

4000K diffused 5,7W_{led} 7,2W_e 553lm 220-240V